
# CABLE MANAGEMENT | Fiber Raceway System



#### JOINERS

- Joiners create a rigid connection between ducting sections and other components
- Standard Joiners install without tools; Slotless Joiners install using a screwdriver

#### **VERTICAL ELBOWS**

- Connect horizontal raceway at different heights
  and route raceway around obstacles
- Retrofit styles allow easy addition of new fibers

# VERTICAL TEES

• Drop cables vertically from horizontal routes into frames or cabinets

#### HORIZONTAL TEES

• Branch off the duct and extend the fiber route

#### HORIZONTAL ELBOWS

• Change the direction of horizontal routes

#### HORIZONTAL CROSSES

• Allow easy fiber routing in all directions for increased expansion and adaptability

Please contact inside sales at 800.722.2082 to order or for more information.







#### STORAGE LOOPS

- Organize excess patch cord lengths
- Available in two styles: inline for storing within the duct system, and offset for outside the main duct

## SIDE DROP-OFF KITS

• Provide a safe exit for fiber cords at any point along ducting when dropping down to active equipment or work areas

## END CAPS

- Snap into place to seal the open end of standard ducting; can easily be removed for future system modifications
- Available in two styles: solid-walled, or with knockouts for flexible tubing or fiber feedout

# REDUCERS

• Join varying ducting sizes together

## ADAPTERS

Used to connect Leviton Fiber Raceway System with ADC ducting

#### TUBING

- Manage fiber as it enters or exits equipment rack ducting
- Flexible/ribbed design allows for adjustment if drops cannot be positioned directly in line with equipment

STORAGE LOOPS							
DESCRIPTION		2" X 2"	4" X 4"	4" X 8"			
[A]	Fiber Storage Loop Inline	S2FSL-INL	S4FSL-INL	S8FSL-INL			
	Fiber Storage Loop Offset	_	S4FSL-OFF	S8FSL-OFF			
SIDE DROP-OFF KITS							
[B]	Side Drop-Off Kit (for Raceway Ducting)	S2DRP-DCT	S4DRP-DRP	_			
	Side Drop-Off Kit (for Round Tube)	S2DRP-TUB	_	_			
	Side Drop-Off Kit (for Square Tube)	S2DRP-STB	_	_			
	Outlet Trumpet	S2TRM-TRM	S4TRM-TRM	_			

**E9** 

DES	CRIPTION	2" X 2"	4" X 4"	4" X 8"	4" X 12"
[C]	End Cap, standard	_	S4END-CAP	S8END-CAP	_
	End Cap, slotless	_	S4END-CSL	S8END-CSL	SWEND-CS
	End Cap, (two) .75" diameter knockouts	S2END-20D	_	_	_
	End Cap, (one) 1.5" diameter knockout	S2END-38D	_	_	_
	End Cap, (one) 1.5" hole	S2END-38H	_	_	_
	End Cap Tube Outlet for 2" Tube	S2END-OUT	_	_	_
[D]	End Cap, (two) 1.75" diameter knockouts	_	S4END-46D	_	_
E]	End Cap, (two) 1.25" diameter knockouts	_	S4END-32D	_	_
REC	DUCERS				
DES	CRIPTION		4" X 4"	4" X 8"	4" X 12"
	Reducer to 2" x 2"		S4RDR-RDR	_	_
F]	Reducer to 2" x 2" and Cover		S4RDR-RDC	_	_
	Reducer to 4" x 4" Horizontal Cross and Cover		_	S8RDR-RDC	_
	Reducer to 4" x 4" Right Hand		_	S8RDR-RRH	_
	Reducer to 4" x 4" Right Hand and Cover		_	S8RDR-RHC	_
	Reducer to 4" x 4" Left Hand		_	S8RDR-RLH	_
	Reducer to 4" x 4" Left Hand and Cover		_	S8RDR-LHC	_
	Reducer to 4" x 8"		_	_	SWRDR-RI
	Reducer to 4" x 8" and Cover		_	_	SWRDR-RE
۹D/	APTERS (TO MATE W/ ADC DUCTING)*				
DES	CRIPTION		4" X 4"	4" X 8"	4" X 12"
	Adapter Kit to ADC 4" Duct		S4ADP-ADC	_	_
	Adapter Kit to ADC 4" Tee		S4ADP-TEE	_	_
	Left Hand Adapter Kit to ADC 6" Duct		_	S8ADP-LAD	_
	Right Hand Adapter Kit to ADC 6" Duct		_	S8ADP-RAD	_
TU	BING (PVC, NON UL 94V-0 MATERIAL)**				
DES	CRIPTION				PART NO.
G]	Round, 2" diameter, 39" length (yellow)				S50RT-01
	Round, 2" diameter, 78" length (yellow)				S50RT-02
	Round, 1" diameter, 78" length (grey)				S25RT-02
	Square, 2", 14" length (yellow)				S50ST-35
[H]	Square w/ cover, 2", 14" length (yellow)				S5STC-35

 $2^{\prime\prime}$  x 4" and 2" x 8" components available by special order.

2" x 2" offered in yellow only.

Color: Yellow is standard. Orange and Black are special order and require additional lead time. Contact inside sales for more information.

\* = Adapters are special order and require additional lead time.

\*\* = PVC tubing also available in Black.



Please contact inside sales at 800.722.2082 to order or for more information.

