

## Renu® in a Snap

### The Smart Way to Update the Look of a Room in Just a Few Easy Steps.

Renu® is a new collection of electrical wiring devices, including switches, receptacles, dimmers and wallplates, that features easily changeable faceplates in 20 popular colors. Refresh the color of any Renu® device without any rewiring by snapping off the faceplate on the device and snapping on the new color face. Coordinating screwless wallplates snap on to finish the look. Renu® fits any lifestyle and adapts to changing décor.

RE153



Remove existing switch. Replace with Renu®. Now you've got a great look you can change any time.

Face snaps off/on to change color

Remove Renu® wallplate and face.

Choose a fresh color to match or contrast with décor.

Snap on a Renu® coordinating wallplate. Now you're done and can enjoy your smart new look.



Not for use with Decora® Wallplates

**The Renu® Palette**

Renu® complements any décor, whether you want it to blend in with the walls or contrast with the trim. The collection is available in many popular shades.



White on White  
(-WW)



Fresh Pink  
Lemonade  
(-FP)



Sea Spray  
(-SE)



Onyx Black  
(-OB)



Gold Coast  
White (-GC)



Toasted  
Coconut  
(-TC)



Navajo Sand  
(-NS)



Granny Smith  
Apple  
(-GS)



Walnut  
Bark (-WB)



Café Latte  
(-CA)



Pebble Gray  
(-PG)



Warm  
Caramel (-WC)



Corn Silk  
(-CS)



Prairie Sage  
(-PS)



Whispering  
Wheat (-WG)



Dapper Tan  
(-DT)



Red  
Delicious (-RE)



Wood Smoke  
(-WS)



Deep  
Garnet (-DG)



Rich Navy  
(-RN)



Stainless Steel  
Appearance  
(-STS)  
(Wallplate Only)



Not for use with Decora® Wallplates

## Renu® Switches

Leviton Renu® switches feature a shallow design that easily installs in any wallbox and is self grounded when installed in a properly grounded metal wallbox. The wiring options include Quickwire, back, or side wiring for quick installation. Switches for every need include single pole, 3-way, 4-way and combination devices, all with gently curved edges and sculpted lines.

### Features and Benefits

- Shallow depth for easier installation
- Self-grounded when installed in a properly grounded metal wallbox
- Back, side and quick wired for fast, easy installation
- Terminals designed to withstand high torque and resist wire pullout
- 3-way and 4-way switches are available for controlling lights from multiple locations
- Innovative tongue and groove design for effortless alignment in multi-gang installations
- No subplate behind the wallplate or visible mounting screws
- Switch face easily snaps OFF and ON to change color
- Once installed, Renu® switches can be updated to a new color by ordering a color change kit
- To complete the look, snap on a matching or contrasting Renu® screwless wallplate (sold separately)
- Use only with Renu® wallplates
- Backed by a limited 5-year warranty

### Renu® Switches

| Description  | Rating          | Cat. No.              | Color  |
|--|-----------------|-----------------------|--|
| Switch for Single Pole Applications                        | 15A-120/277V AC | <a href="#">RE151</a> | WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |
| Switch for 3-Way Applications                              | 15A-120/277V AC | <a href="#">RE153</a> | WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |
| Switch for 4-Way Applications                              | 15A-120/277V AC | <a href="#">RE154</a> | WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |
| Color Change Kit for Single Pole, 3-Way and 4-Way Switches | —               | <a href="#">RK15X</a> | WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |
| Single Pole Combination Switch                             | 15A-120/277V AC | <a href="#">RE634</a> | WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |
| Color Change Kit for Combination Switch                    | —               | <a href="#">RK634</a> | WW, OB, NS, CA, CS, WW, OB, NS, CA, CS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS |



RE151



RE634

Not for use with Decora® Wallplates