


Extra Heavy-Duty Specification Grade Toggle and Locking Switches

Leviton's Industrial Grade AC toggle switches for extra heavy-duty applications represent top-of-the-line quality and peak performance. Leviton uses the finest materials available and the highest production standards to produce industrial switches of unmatched versatility and reliability.


Features and Benefits

- Heavy gauge copper alloy brush arm for superior performance
- Large silver alloy contacts for long life prevent sticking, welding and excessive pitting
- Fully enclosed switch mechanism in rugged housing for strength, tracking and arc resistance
- Color-coded covers for easy identification: 15 Amp, Blue; 20 Amp, Red; 30 Amp, Green,
- Self-grounding clip (self grounding when used with a grounded metal wallbox)
- Wire lead switches also available for fast and easy installation
- Backed by a limited 10-year warranty

1221-2I



Color Choices Extra heavy-duty toggle switches are offered in a wide range of colors. To order colors, add suffix to Cat. No.



RECEPTACLES | Lev-Lok® GFCIs

Lev-Lok® SmartlockPro® GFCI Receptacles

Features and Benefits

- GFCI receptacles have feed-through terminals for downstream protection
- Constructed with impact-resistant PBT cover
- Large triple-wipe, brass “T” line contacts on 20A for superior contact and conductivity
- The SmartlockPro® receptacle automatically tests the GFCI every time the RESET button is pushed. The GFCI will not reset if the GFCI circuit is not functioning properly
- Built-in end-of-life indication. If receptacle can no longer provide GFCI protection, it will not reset and no power will be supplied to the face
- Trip threshold meets or exceeds UL requirements for tripping time
- Right angle wiring module's thin profile makes it easier to place GFCI receptacle in the box
- #12 AWG THHN wire leads, 6" length on MSTWL series wiring modules
- Wiring module locks and latches to the receptacle body providing double the connection security
- Receptacle to be installed only with Leviton MSTWL series wiring modules
- MSTWL wiring module sold separately

SmartlockPro® GFCI Receptacles

2-Pole, 3-Wire Grounding Fed Spec

| Rating | 15A-125V | 20A-125V | |
|--------------------------|--------------|-----------|-----------|
| NEMA | 5-15R | 5-20R | |
| Description | Color | Cat. No. | Cat. No. |
| Duplex | White | MN759-HGW | MN789-HGW |
| | Ivory | MN759-HGI | MN789-HGI |
| | Light Almond | MN759-HGT | MN789-HGT |
| | Gray | MN759-HGY | MN789-HGY |
| | Black | MN759-HGE | MN789-HGE |
| | Brown | MN759-HG | MN789-HG |
| | Red | MN759-HGR | MN789-HGR |
| Duplex, Tamper-Resistant | White | MX759-HGW | MX789-HGW |
| | Ivory | MX759-HGI | MX789-HGI |
| | Light Almond | MX759-HGT | MX789-HGT |
| | Gray | MX759-HGY | MX789-HGY |
| | Black | MX759-HGE | MX789-HGE |
| | Brown | MX759-HG | MX789-HG |
| | Red | MX759-HGR | MX789-HGR |



MN759-HGI



MN789-R