


Ferrules

Non-Insulated Ferrules



Cat. No.	Conductor Section		Dimensions in/mm			Installation Tooling	Pkg. Qty.
	AWG	mm ²	A	C	D		
F9000	24	0.25	0.196 / 5	0.030 / 0.75	0.067 / 1.7	0.006 / 0.15	T1, T3, ERG4
F9001	22	0.5	0.236 / 6	0.039 / 1.0	0.083 / 2.1		
F9002	22	0.5	0.394 / 10	0.039 / 1.0	0.083 / 2.1		
F9003	18	0.75	0.236 / 6	0.047 / 1.2	0.091 / 2.3		
F9004	18	0.75	0.394 / 10	0.047 / 1.2	0.091 / 2.3		
F9005	18	1	0.236 / 6	0.055 / 1.4	0.098 / 2.5		
F9006	18	1	0.394 / 10	0.055 / 1.4	0.098 / 2.5		
F9007	16	1.5	0.276 / 7	0.067 / 1.7	0.110 / 2.8		
F9008	16	1.5	0.394 / 10	0.067 / 1.7	0.110 / 2.8		
F9009	16	1.5	0.473 / 12	0.067 / 1.7	0.110 / 2.8		
F9010	16	1.5	0.709 / 18	0.067 / 1.7	0.110 / 2.8		
F9011	14	2.5	0.276 / 7	0.087 / 2.2	0.139 / 3.4		
F9012	14	2.5	0.394 / 10	0.087 / 2.2	0.139 / 3.4		
F9013	14	2.5	0.472 / 12	0.087 / 2.2	0.139 / 3.4		
F9014	14	2.5	0.709 / 18	0.087 / 2.2	0.139 / 3.4		
F9015	12	4	0.354 / 9	0.110 / 2.8	0.158 / 4	0.008 / 0.2	T3, ERG4
F9016	12	4	0.472 / 12	0.110 / 2.8	0.158 / 4		
F9017	12	4	0.591 / 15	0.110 / 2.8	0.158 / 4		
F9018	12	4	0.709 / 18	0.110 / 2.8	0.158 / 4		
F9019	10	6	0.472 / 12	0.138 / 3.5	0.185 / 4.7		
F9020	10	6	0.591 / 15	0.138 / 3.5	0.185 / 4.7		
F9021	10	6	0.709 / 18	0.138 / 3.5	0.185 / 4.7		
F9022	8	10	0.472 / 12	0.177 / 4.5	0.228 / 5.8		ERG4 500
F9023	8	10	0.591 / 15	0.177 / 4.5	0.228 / 5.8		
F9024	8	10	0.709 / 18	0.177 / 4.5	0.228 / 5.8		
F9025	6	16	0.472 / 12	0.228 / 5.8	0.295 / 7.5		250
F9026	6	16	0.591 / 15	0.228 / 5.8	0.295 / 7.5		
F9027	6	16	0.709 / 18	0.228 / 5.8	0.295 / 7.5		
F9028	6	16	0.984 / 25	0.228 / 5.8	0.295 / 7.5		
F9029	6	16	1.26 / 32	0.228 / 5.8	0.295 / 7.5		
F9030	4	25	0.591 / 15	0.287 / 7.3	0.374 / 9.5	0.010 / 0.25	100
F9031	4	25	0.709 / 18	0.287 / 7.3	0.374 / 9.5		
F9032	4	25	0.984 / 25	0.287 / 7.3	0.374 / 9.5		
F9033	4	25	1.26 / 32	0.287 / 7.3	0.374 / 9.5		
F9034	2	35	0.709 / 18	0.327 / 8.3	0.433 / 11		
F9035	2	35	0.984 / 25	0.327 / 8.3	0.433 / 11		
F9036	2	35	1.26 / 32	0.327 / 8.3	0.433 / 11		
F9037	1/0	50	0.709 / 18	0.406 / 10.3	0.512 / 13	0.012 / 0.3	TB5095, ERG4
F9038	1/0	50	0.984 / 25	0.406 / 10.3	0.512 / 13		
F9039	1/0	50	1.18 / 30	0.406 / 10.3	0.512 / 13		