Recessed 4- and 8-Gang Concrete Floor Boxes

Dimensions Inches (mm)	Stamped Steel			Cast Iron
Style	4-Gang Deep	4-Gang Shallow	8-Gang Deep	4-Gang Shallow
	HBLCFB301BASE	HBLCFB401BASE	HBLCFB501BASE	HBLCFB401CB
Min. Depth of Pour	4.25" (107.6)	3.00" (76.2)	5.25" (133.4)	3.25" (82.6)
Adjustability	Fully	Fully	Fully	Fully
Cubic Inch (cm³) Capacity Per Chamber	29.5 cu. in. (483.4 cm³)	25.5 cu. in. (417.9 cm³)	49.5 cu. in. (811.2 cm³)	25.5 cu. in. (417.9 cm³)
Dimensions – A	4.0" (101.6)	2.63" (66.8)	5.13" (130.3)	3.13" (79.5)
Dimensions – B	10.0" (254.0)	10.0" (254.0)	10.0" (254.0)	10.0" (254.0)
Dimensions – C	10.0" (254.0)	10.0" (254.0)	10.0" (254.0)	10.0" (254.0)
Threaded Access Holes – Per Chamber	–	–	–	(2) 1"
Knockouts – Per Chamber	(1) Concentric ½", ¾" (1) Concentric ¾", 1" (1) 1¼"	(3) Concentric ½", ¾"	(1) Concentric ½", ¾" (1) Concentric ¾", 1" (1) 1¼"	–
Concrete Cover Included	✓	✓	✓	✓
Closure Plugs Included	–	–	–	✓

Notes: UL File Number E197203.
CSA File Number LR702145.

Floor Box Covers

Die Cast Zinc Cover and Flange Assembly
Dimensions 10.69" x 10.69"

HBLTCGNTSW — Granite

HBLTCGNTBKSW — Black

Hubbell – Screw Type Face Plates*

HBLST302SGY	HBLDE301SGY	HBLTO310SGY	HBLTL318GY	HBLTL319SGY	HBLBL300SGY	HBLIMFSGY	HBL317SGY
Duplex	Style Line®	Toggle	Single Receptacle (1.56" Boss Dia.)	Single Receptacle (1.39" Boss Dia.)	Blank	Hubbell iSTATION™ (See pages 166 & 167 for module options)	Hubbell 6–Port

Open Systems – Screw Type Face Plates*

HBLAM303SGY	HBLAMP313SGY	HBLKR314SGY	HBLLT309SGY	HBLPA308SGY	HBLNO309SGY	HBLSI305SGY	HBLSI315SGY	HBLOR306SGY	HBLORT322SGY
AMP–ACO	AMP 6–Port	Krone®/Leviton®	SYSTIMAX®	Panduit Mini–Com®	NORDX® 6–Port (Cat. 5e jacks only)	Siemon CT® Series	Siemon MAX® Series	Ortronics Series II®	Ortronics TracJack®

Note: *Catalog number indicated is gray, replace **"GY"** with the following to designate color: **"BK"** for Black, **"WA"** for White, **"I"** for Ivory.

AMP is a registered trademark of Tyco Electronics Corp. Krone® is a registered trademark of Krone, Inc. Leviton® is a registered trademark of Leviton. SYSTIMAX® is a registered trademark of CommScope, Inc. Mini-Com® and Panduit® are registered trademarks of Panduit Corp. NORDX® is a registered trademark of Belden/CDT, Inc. MAX® and CT® Series are registered trademarks of The Siemon Company. TracJack®, Series II® and Ortronics® are registered trademarks of Ortronics/Legrand.

HUBBELL Wiring Systems *Nobody delivers like Hubbell Commercial Solutions*

Furniture Connectivity Boxes

HBLSHA2*

HBLPHA2*

HBLCON2*

HBLMIR4*

HBLMAR2*

Square Flush Mount Boxes

Description	Catalog Numbers
2-Gang Square Flush Mount Box w/ Cover, Crinkle Black Finish.	HBLSHA2
2-Gang Square Flush Mount Box w/ Cover, Stainless Steel.	HBLSHA2BSS

Rectangular Flush Mount Boxes

Description	Catalog Numbers
2-Gang Rectangular Flush Mount w/ Cover, Crinkle Black Finish.	HBLPHA2
4-Gang Rectangular Flush Mount w/ Cover, Crinkle Black Finish.	HBLPHA4
2-Gang Rectangular Flush Mount w/ Cover, Stainless Steel.	HBLPHA2BSS
4-Gang Rectangular Flush Mount w/ Cover, Stainless Steel.	HBLPHA4BSS

Surface Mount Boxes

Description	Catalog Numbers
2-Gang Surface Mount Box, Crinkle Black Finish.	HBLCON2
3-Gang Surface Mount Box, Crinkle Black Finish.	HBLCON3

Recessed Mount Boxes

Description	Catalog Numbers
4-Gang Recessed Mount w/ Cover, Crinkle Black Finish.	HBLMIR2
8-Gang Recessed Mount w/ Cover, Crinkle Black Finish.	HBLMIR4

Under Desk Mount Boxes

Description	Catalog Numbers
2-Gang, Under Desk Mount, Crinkle Black Finish.	HBLMAR2
3-Gang, Under Desk Mount, Crinkle Black Finish.	HBLMAR3

HBL317SBK   **HBLTL319SBK**

HBLTL318SBK   **HBLIMFSBK**

HBLST302SBK   **HBLTO310SBK**

HBLDE301SBK   **HBLBL300SBK**

Hubbell – Screw Type Face Plates

Description	Color	Catalog Numbers
Hubbell 6-Port.	Black	HBL317SBK**
Single Receptacle Opening (1.39 in. Diameter).	Black	HBLTL319SBK**
Single Receptacle Opening (1.56 in. Diameter).	Black	HBLTL318SBK**
Hubbell iSTATION™ Module.	Black	HBLIMFSBK**
Duplex Opening.	Black	HBLST302SBK**
Toggle.	Black	HBLTO310SBK**
Style Line® Rectangular.	Black	HBLDE301SBK**
Blank.	Black	HBLBL300SBK**

Notes: *Devices shown must be ordered separately. See section A for power devices and section P for datacom accessories.*
**Catalog number indicated is black, replace "BK" with the following to designate color: "GY" for Gray, "I" for Ivory and "WA" for White.
For open systems plate options, see page 133.

HUBBELL®
Wiring Systems

Nobody delivers like Hubbell Commercial Solutions

Multi-Connect – Screw and Snap-In Modular Face Plates

Color	Catalog Numbers					
Black	HBLST302SBK	HBLDE301SBK	HBLTO310SBK	HBLBL300SBK	HBL317SBK	HBLIMFSBK*
Gray	HBLST302SGY	HBLDE301SGY	HBLTO310SGY	HBLBL300SGY	HBL317SGY	HBLIMFSGY*
Ivory	HBLST302SI	HBLDE301SI	HBLTO310SI	HBLBL300SI	HBL317SI	HBLIMFSI*
White	HBLST302SWA	HBLDE301SWA	HBLTO310SWA	HBLBL300SWA	HBL317SWA	HBLIMFSWA*
	Duplex	**Style Line®**	**Toggle**	**Blank**	**Hubbell 6-Port**	**Hubbell iSTATION™**

Color	Catalog Numbers					
Black	HBLTL318SBK	HBLTL319SBK	HBLAMP313SBK	HBLAM303SBK	HBLKR314SBK	HBLLT309SBK
Gray	HBLTL318SGY	HBLTL319SGY	HBLAMP313SGY	HBLAM303SGY	HBLKR314SGY	HBLLT309SGY
Ivory	HBLTL318SI	HBLTL319SI	HBLAMP313SI	HBLAM303SI	HBLKR314SI	HBLLT309SI
White	HBLTL318SWA	HBLTL319SWA	HBLAMP313SWA	HBLAM303SWA	HBLKR314SWA	HBLLT309SWA
	Single Recept. (1.56 in. Boss Dia.)	**Single Recept. (1.39 in. Boss Dia.)**	**AMP 6-Port**	**AMP-ACO**	**Krone®/Leviton®**	**SYSTIMAX®**

| Color	Catalog Numbers					
Black	HBLNO309SBK	HBLOR306SBK	HBLORT322SBK	HBLPA308SBK	HBLSI305SBK	HBLSI315SBK
Gray	HBLNO309SGY	HBLOR306SGY	HBLORT322SGY	HBLPA308SGY	HBLSI305SGY	HBLSI315SGY
Ivory	HBLNO309SI	HBLOR306SI	HBLORT322SI	HBLPA308SI	HBLSI305SI	HBLSI315SI
White	HBLNO309SWA	HBLOR306SWA	HBLORT322SWA	HBLPA308SWA	HBLSI305SWA	HBLSI315SWA
	NORDX® 6-Port (For Cat. 5e jacks only)	**Ortronics Series II®**	**Ortronics TracJack®**	**Panduit®**	**Siemon CT® Series**	**Siemon MAX® Series**

Notes: Catalog numbers listed above are traditional screw type.
For snap-in style plates eliminate **"S"** suffix from catalog number (**HBLST302SGY** – screw type. **HBLST302GY** – snap-in type).
*See pages 166 & 167 for complete iSTATION™ module product offering.