

Conduit and Accessories

PVC Coating Evenly Molded Around Saddle
Prevents Exposure of Metal – an Ocal™ Exclusive!

Ocal™ PVC-Coated Beam Clamps and U-Bolts

- Beam clamps support and attach conduit runs to structural beams
- Molded right-angle beam clamps and U-bolts provide extra protection
- Nuts are encapsulated, (RA) providing complete protection.
- Hex-shaped nuts fit standard wrenches
- Stainless steel hardware included
- Parallel (PAR) and edge (EC) clamps feature nominal 0.015 in. (15 mils) PVC coating for corrosion protection
- Right-Angle clamps (RA) and U-Bolts (UB) feature nominal 0.040 in. (40 mils) PVC coating for corrosion protection
- The coating is evenly molded around the saddle to prevent exposure to metal



Parallel (PAR)



Edge (EC)




Right Angle (RA)

Cat. No.	Size	Colour
RA1-	—	_ = space for colour identifier
		G = Grey
		W = White
		B = Blue
Custom colours also available - Std. min. quantities are required. Please contact your Regional Sales Office.		

PVC-Coated Beam Clamps

Cat. No.			Pipe Size	
Right Angle	Parallel	Edge	in.	(mm)
RA1/2- <u> </u>	PAR1/2- <u> </u>	EC1/2- <u> </u>	1/2	(16)
RA3/4- <u> </u>	PAR3/4- <u> </u>	EC3/4- <u> </u>	3/4	(21)
RA1- <u> </u>	PAR1- <u> </u>	EC1- <u> </u>	1	(27)
RA1-1/4- <u> </u>	PAR1-1/4- <u> </u>	EC1-1/4- <u> </u>	1-1/4	(35)
RA1-1/2- <u> </u>	PAR1-1/2- <u> </u>	EC1-1/2- <u> </u>	1-1/2	(41)
RA2- <u> </u>	PAR2- <u> </u>	EC2- <u> </u>	2	(53)
RA2-1/2- <u> </u>	PAR2-1/2- <u> </u>	—	2-1/2	(63)
RA3- <u> </u>	PAR3- <u> </u>	—	3	(78)
RA3-1/2- <u> </u>	PAR3-1/2- <u> </u>	—	3-1/2	(91)
RA4- <u> </u>	PAR4- <u> </u>	—	4	(103)

U-Bolts



Boulon en U (UB)

Cat. No.	Size	Colour
UB1-	—	_ = space for colour identifier
		G = Grey
		W = White
		B = Blue
Custom colours also available - Std. min. quantities are required. Please contact your Regional Sales Office.		

Cat. No.	Pipe Size		"A" Dimension	
	in.	(mm)	in.	(mm)
UB1/2- <u> </u>	1/2	(16)	1.38	(34.93)
UB3/4- <u> </u>	3/4	(21)	1.56	(39.69)
UB1- <u> </u>	1	(27)	1.84	(46.83)
UB1-1/4- <u> </u>	1-1/4	(35)	2.19	(55.56)
UB1-1/2- <u> </u>	1-1/2	(41)	2.50	(63.50)
UB2- <u> </u>	2	(53)	2.97	(75.41)
UB2-1/2- <u> </u>	2-1/2	(63)	3.47	(88.11)
UB3- <u> </u>	3	(78)	4.09	(103.98)
UB3-1/2- <u> </u>	3-1/2	(91)	4.59	(116.68)
UB4- <u> </u>	4	(103)	5.09	(129.38)
UB5- <u> </u>	5	(129)	6.63	(168.28)
UB6- <u> </u>	6	(155)	8.00	(203.20)

Metric size designator (ANSI C80.1-1994).