

AUDIO/VIDEO COMPATIBILITY

Quick Selection Guide


STEEL RACEWAY SYSTEMS

Product Line	Compatible A/V Device Plates
--------------	------------------------------


4000 Series™ Raceway




**V4047UX
G4047UX**
Bump-Up Device Plate with Extron® Electronics MAAP opening.




**V4047VX
G4046VX**
Bump-Up Device Plate with Extron® Electronics AAP opening.




**5507MAAP
5507MAAP-G**
5507 Series Device Plate with Extron® Electronics MAAP opening.



**5507AAP
5507AAP-G**
5507 Series Device Plate with Extron® Electronics AAP opening.




**5507R
5507R-G**
5507 Series Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.




DS4000® Series Raceway




**DSDWNR-BK
DSDWNR-BZ
DSDWNR-DG
DSDWNR-DV**
Downward-Facing Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.



**DSDWNS-BK
DSDWNS-BZ
DSDWNS-DG
DSDWNS-DV**
Downward-Facing Device Plate with Ortronics® Series II opening.




**DSDWNU-BK
DSDWNU-BZ
DSDWNU-DG
DSDWNU-DV**
Downward-Facing Device Plate with Extron® Electronics MAAP opening.




6000® Series Raceway




**5507MAAP
5507MAAP-G**
5507 Series Device Plate with Legrand AVIP or Extron® Electronics MAAP opening.




**5507AAP
5507AAP-G**
5507 Series Device Plate with Extron® Electronics AAP opening.




**5507R,
5507R-G**
5507 Series Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.




**V4047UX
G4047UX**
Bump-Up Device Plate with Legrand AVIP or Extron® Electronics MAAP opening.




**V4047VX
G4047VX**
Bump-Up Device Plate with Extron® Electronics AAP opening.




OFR Series™ Overflow Raceway




OFR47-U
Accepts up to four (4) Legrand AVIP or Extron® Electronics MAAP style plates.




OFR47-V
Accepts two (2) Extron® Electronics AAP single space modules.



OFR47-U2A
Accepts up to two (2) Legrand AVIP or Extron® Electronics MAAP style plates.



OFR47-R
For covering rectangular decorator style devices.











NOTE: Wiremold manufactures many additional pathway solutions. Those represented here have been designed/modified to provide the depth behind the plate required for most A/V devices. For additional design and installation considerations, please contact the factory.





AUDIO/VIDEO COMPATIBILITY

Quick Selection Guide










STEEL RACEWAY SYSTEMS

Product Line	Compatible A/V Device Plates
5400 Series™ Raceway	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">  <p>5507MAAP 5507MAAP-FW 5507MAAP-WH 5507MAAP-BK 5507MAAP-G 5507MAAP-GY 5507 Series Device Plate with Legrand AVIP or Extron® Electronics MAAP opening.</p>  </div> <div style="width: 30%;"> <p>5507AAP 5507AAP-FW 5507AAP-WH 5507AAP-BK 5507AAP-G 5507AAP-GY 5507 Series Device Plate with Extron® Electronics AAP opening.</p>  </div> <div style="width: 30%;"> <p>5507R 5507R-FW 5507R-WH 5507R-BK 5507R-G 5507R-GY 5507 Series Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.</p>  </div> </div>
5500 Series™ Raceway	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">  <p>5507MAAP 5507MAAP-FW 5507MAAP-WH 5507MAAP-BK 5507MAAP-G 5507MAAP-GY 5507 Series Device Plate with Legrand AVIP or Extron® Electronics MAAP opening.</p>  </div> <div style="width: 30%;"> <p>5507AAP 5507AAP-FW 5507AAP-WH 5507AAP-BK 5507AAP-G 5507AAP-GY 5507 Series Device Plate with Extron® Electronics AAP opening.</p>  </div> <div style="width: 30%;"> <p>5507R 5507R-FW 5507R-WH 5507R-BK 5507R-G 5507R-GY 5507 Series Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.</p>  </div> </div>

IN WALL SYSTEMS

Product Line	Compatible A/V Device Plates
WallSource™ Multiple Service Boxes Raceway	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">  <p>5507MAAP 5507MAAP-FW 5507MAAP-WH 5507MAAP-BK 5507MAAP-G 5507MAAP-GY 5507 Series Device Plate with Legrand AVIP or Extron® Electronics MAAP opening.</p>  </div> <div style="width: 30%;"> <p>5507AAP 5507AAP-FW 5507AAP-WH 5507AAP-BK 5507AAP-G 5507AAP-GY 5507 Series Device Plate with Extron® Electronics AAP opening.</p>  </div> <div style="width: 30%;"> <p>5507R 5507R-FW 5507R-WH 5507R-BK 5507R-G 5507R-GY 5507 Series Device Plate with decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera.</p>  </div> </div>

VERTICAL SOLUTIONS

Product Line	Compatible A/V Device Plates
Vista™ Architectural Columns	<div style="display: flex; flex-direction: column;"> <div style="width: 30%;">  <p>VSCR Crestron® & Extron® Electronics Double-Gang Decorator Style Device Plate for Small Vista Columns.</p>  </div> <div style="width: 30%;"> <p>VLCR Crestron® & Extron® Electronics Double-Gang Decorator Style Device Plate for Large Vista Columns.</p>  </div> </div> <div style="display: flex; flex-direction: column;"> <div style="width: 30%;"> <p>VSEA Device Plate with Extron® Electronics AAP opening for Small Vista Columns.</p>  </div> <div style="width: 30%;"> <p>VLEA Device Plate with Extron® Electronics AAP opening for Large Vista Columns.</p>  </div> </div> <div style="display: flex; flex-direction: column;"> <div style="width: 30%;"> <p>VSEM Device Plate with Legrand AVIP or Extron® Electronics MAAP opening for Small Vista Columns.</p>  </div> <div style="width: 30%;"> <p>VLEM Device Plate with Legrand AVIP or Extron® Electronics MAAP opening for Large Vista Columns.</p>  </div> </div> <div style="display: flex; flex-direction: column;"> <div style="width: 30%;"> <p>VLRT Device Plate with opening for three (3) Ortronics® Series II devices for Large Vista Columns.</p>  </div> <div style="width: 30%;"> <p>VSRT Device Plate with opening for one (1) Ortronics® Series II device for Small Vista Columns.</p>  </div> </div>

NOTE: Wiremold manufactures many additional pathway solutions. Those represented here have been designed/modified to provide the depth behind the plate required for most A/V devices. For additional design and installation considerations, please contact the factory.

2400D[®] SERIES RACEWAY




Dual channel version of 2400 Series Raceway. Easy-to-install and ideal for basic power and communication/low voltage installations in classrooms, hotels, and anywhere a low profile raceway solution is needed.

CODE REFERENCE

cULus Listed Raceway:
File E4376 Guide RJBT.

Fittings:
File E41751 Guide RJPR.
Meets Article 386 of NEC.
Meets Section 12-1600 of CEC.

2400D Series Raceway System Layout for Power & Data



NOTE: Illustrations are for showing product applications only.

KEY

- | | |
|--|--|
| A. 2400D 2400 Series Divided Raceway | H. 2444D One-Gang Device Box |
| B. 2411DFO Radiused Divided Flat Elbow | I. 2444D-2A Two-Gang Divided Device Box |
| C. 2410DFO Divided Entrance End Fitting | J. 24DWND Downward Duplex Device Bracket |
| D. 2415DFO Radiused Divided Tee | 24DWNR Downward Decorator Device Bracket |
| E. 2417DFO Radiused Divided Internal Elbow | K. 4089 Reducing Connector |
| F. 2418DFO Divided External Elbow | L. U4000 Series Raceway |
| G. 2444 One-Gang Extra Deep Device Box | |

COLOR OPTIONS




2400 Series™ Raceway Part Numbers with a "V" prefix have an ivory finish. Part Numbers with a "-FW" suffix have a fog white finish.


Custom color options are also available. Consult the factory for more information.

2400D SERIES™ RACEWAY


5507 Series Faceplates Ordering Information (continued)

5507T2, 5507T2-FW
Single Receptacle Faceplate


Covers single receptacles 1.41" [35.8mm] diameter.

5507RJ, 5507RJ-FW
Dual RJ11/RJ45 Connector Faceplate


Accepts one or two keystone device modules. Has one keystone opening and a KO for the other.

5507FRJ, 5507FRJ-FW
Flush Dual RJ11/RJ45 Connector Faceplate


Accepts one or two keystone device modules, recessed to provide a flush installation. Has one keystone opening and a KO for the other.

5507-4TJ, 5507-4TJFW Ortronics® Faceplate


Accepts four Ortronics® TracJack Devices.

5507-6TJ, 5507-6TJFW Ortronics® Faceplate


Accepts six Ortronics® TracJack Devices.

5507AAP Extron® AAP Faceplate


Metal faceplate for use with two Extron® Electronics AAP single space modules. Also available in white (WH), gray (G), black (BK) and fog white (FW).

5507MAAP Extron® MAAP Faceplate


Metal faceplate for use with four Extron® Electronics MAAP single space modules. Also available in white (WH), gray (G), black (BK) and fog white (FW).

CM-EPLA, CM-EPLA-FW End Plates

Mounts Pass & Seymour® Activate and Wiremold Open System communication modules into 5507 opening. Includes two outlet identification labels with clear covers and two matching screw covers.

S2-EPL, S2-EPL-FW End Plates

Mounts Ortronics® Series II modules into 5507 opening. Includes two outlet identification labels with clear covers and two matching screw covers.


5507AVIP Legrand AAVIP Faceplate

Metal faceplate for use with four Legrand AVIP Interface Plates. Also available in white (WH), gray (G), black (BK) and fog white (FW).


NOTE: All 5507 Series Faceplates have standard dimensions of 4 1/4" x 1 7/8" [108mm x 34mm].

5507 SERIES™ FACEPLATES


Ordering Information

5507R Rectangular Receptacle Faceplate


For covering rectangular decorator style devices. Available in ivory (5507R), white (5507R-WH), gray (5507R-G) and fog white (5507R-FW).

5507-4TJ Ortronics® Faceplate


For mounting Ortronics® datacom inserts. Accepts four TracJack devices. Available in ivory (5507-4TJ), white (5507-4TJ-WH), gray (5507-4TJ-G) and fog white (5507-4TJ-FW).

5507RJ Dual RJ11/RJ45 Connector Faceplate


For mounting one or two keystone device modules. Has one opening and one KO. Available in ivory (5507RJ), white (5507RJ-WH), gray (5507RJ-G), light gray (5507RJ-GY) and fog white (5507RJ-FW).

5507-6TJ Ortronics® Faceplate


For mounting Ortronics® datacom inserts. Accepts six TracJack devices. Available in ivory (5507-6TJ), white (5507-6TJ-WH), gray (5507-6TJ-G) and fog white (5507-6TJ-FW).

5507S Rectangular Spacer


For mounting commercial device plates. Installs between the device bracket and a device. Available in ivory (5507S), white (5507S-WH), black (5507S-BK), fog white (5507S-FW), light gray (5507S-GY) and gray (5507S-G).

5507MAAP Extron® MAAP Faceplate


Accepts four AVIP and Extron® Electronics MAAP single space modules. Available in ivory (5507MAAP), white (5507MAAP-WH), gray (5507MAAP-G), black (5507MAAP-BK), light gray (5507MAAP-GY) and fog white (5507MAAP-FW).

5507SW Switch Faceplate

For covering standard toggle switches. Available in ivory (5507SW), white (5507SW-WH), gray (5507SW-G) and fog white (5507SW-FW).

5507AAP Extron® AAP Faceplate


Accepts two Extron® Electronics AAP single space modules. Available in ivory (5507AAP), white (5507AAP-WH), gray (5507AAP-G), black (5507AAP-BK), light gray (5507AAP-GY) and fog white (5507AAP-FW).

5507T1 Single Receptacle Faceplate

For covering single receptacles 1.59" [40mm] diameter. Available in ivory (5507T1), white (5507T1-WH), gray (5507T1-G) and fog white (5507T1-FW).

ARA-S2 Angled Raceway Adapter

Provides angled exit in multi-channel raceway systems. Snaps into standard 4050, 5450, 5450T, 5550, 40N2F31 and WallSource Device Brackets. Angled exit provides additional mounting depth required for A/V connections as well as ensuring the required bend radius for UTP and fiber optic cabling. Holds two Ortronics® Series II modules. Fits 5507 Series Faceplate opening. Available in ivory (ARA-S2-IV), fog white (ARA-S2-FW), black (ARA-S2 -BK), gray (ARA-S2-G), light gray (ARA-S2-GY) and white (ARA-S2-WH).

5507T2 Single Receptacle Faceplate

For covering single receptacles 1.41" [36mm] diameter. Available in ivory (5507T2), white (5507T2-WH), gray (5507T2-G) and fog white (5507T2-FW).