AL5200 SERIES[™] RACEWAY



Two-piece raceway. Field-installed divider provides for numerous raceway channel configurations. Satin anodized finish complements decor in commercial offices, laboratories, and health care facilities.

CODE REFERENCE

cULus Listed Raceway: File E4376 Guide RJPR.

Fittings: File E41751 Guide RJPR.

Raceway & Fittings: Meet Article 386 of NEC.

Multioutlet Assemblies: Meet Article 380 of NEC.

AL5200 Raceway System Layout

NOTE: Illustration is for showing product applications only.

KEY

- A Provide electrical feed through 1/2" or 3/4" [12.7mm or 19.1mm] KOs in AL5210B2 End Cap.
- B Attach base section to mounting surface by drilling 9/32" [7.1mm] holes in the base, and using #8 flathead screws.
- C Secure conductors in place with AL5200WC Wire Clip.
- D Join additional raceway sections with two AL5201 Couplings.
- E Close ends with AL5210B2 Blank End Fittings.
- F Snap cover into base to complete installation.

COLOR OPTIONS



AL5200 Series[™] Raceway is available with a satin anodized finish.

Connects two raceway sections to form an internal 90° turn in a

Connects a vertical run of

cover facing up.

AL5201 Couplings.

raceway.

AL5200 Series Raceway with a

Makes a 90° external turn in a

raceway run. Includes two pair of

Covers a 12" [305mm] section of


horizontal overhead run with its

raceway run.

AL5200 SERIES[™] RACEWAY


AL5200 Series Raceway Ordering Information (continued)

AL5210B1, AL5210B2, AL5210B3 **Entrance End Fitting**




With single or multiple concentric 1/2" and 3/4" trade size KOs for conduit connections. (AL5210B1 and AL5210B3. not shown.have one and three double KOs respectively.)

AL5211 Flat Elbow




Makes a 90° flat turn in a raceway run. Includes two pairs of AL5201 Couplings.

AL5214 Wall Box Connector




Feeds raceway from a wallmounted outlet box. Rectangular hole cut or concentric 1/2" and 3/4" trade size KOs. Couplings included.

AL5215 Tee



Branch connection of two runs of AL5200 Series Raceway. Includes three pairs of AL5201 Couplings.


AL5216 Cross Fitting



Cross through connection in a raceway run. Includes four pairs of AL5201 Couplings.

Makes 90° internal corner in a raceway run. Includes two pairs of

AL5201 Couplings.



12" [305mm]

Mounts standard duplex devices

to cover.

AL5246-DD Double Duplex Cover Plate

AL5217A Internal Corner Coupling

4 13/16" [122mm]

AL5217N Inverted Internal Elbow

3' [76mm]

8' [203mm]

4 7/8" [124mm]

AL5218 External Elbow

AL5246-B Blank Cover

1 1/2" [38mm]

0

3 5/16"


[84mm]

5' [127mm]


[127n

[203mm]

[152mm]



Installs I5A and 20A duplex receptacles or duplex style communication devices.



AL5217

Internal Elbow